



HPHT HERMETIC BOOTED







Rampart Products' Single Pin Connectors & Booted Contacts, **available from stock**, interchange with industry standards. Optional solder cup on low pressure end.




SPECIFICATIONS			
Temperature	Up to 500 °F	Pressure	Up to 30,000 psi
Voltage	up to 8,000 VDC	Current	18 Amps
MATERIALS			
Boot		FKM and HNBR	
Boot Insulator		PTFE	
Contacts		Copper Alloy	
Body		PEEK	
Thread		Copper Alloy	
DIMENSIONS (INCHES)			
	RP 1.X	RP 2.X	RP 3.X
A	1.75	1.75	2.35
B	0.26	0.31	0.36
C	20-24 AWG	14-24 AWG	12-24 AWG
D	0.44	0.44	0.44
E	0.37	0.37	0.71
F	1/4 Hex	1/4 Hex	3/8 Hex
G	10-32 UNF	1/4-28 UNF	1/4-28 UNF
H	0.17	0.20	0.19
J	0.20	0.24	0.24
K	0.250/0.251	0.312/0.313	0.312/0.313



PART NUMBERS

RP1.0		Contact:	PIN-PIN
		Thread:	10-32 UNF-2A
		O-Ring Size:	2-006
		Max. Temperature at Max. Pressure (°F):	400°
		Max. Pressure at 400°F (psi):	30,000
RP1.1		Contact:	CUP-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Pressure at 400°F (psi):	20,000
RP2.0		Contact:	PIN-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Pressure at 400°F (psi):	30,000
RP2.1		Contact:	PIN-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Pressure at 400°F (psi):	20,000
RP2.3		Contact:	PIN-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Pressure at 400°F (psi):	30,000
RP2.5		Contact:	THD-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Pressure at 400°F (psi):	25,000



HPHT HERMETIC BOOTED

RP2.11		Contact:	CUP-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Temperature at Max. Pressure (°F):	400°
		Max. Pressure at 400°F (psi):	20,000
RP2.13		Contact:	CUP-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Temperature at Max. Pressure (°F):	400°
		Max. Pressure at 400°F (psi):	30,000
RP3.0		Contact:	PIN-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Temperature at Max. Pressure (°F):	400°
		Max. Pressure at 400°F (psi):	25,000
RP3.11		Contact:	CUP-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Temperature at Max. Pressure (°F):	400°
		Max. Pressure at 400°F (psi):	20,000
2A-6003-00		Contact:	CUP-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-008
		Max. Temperature at Max. Pressure (°F):	400°
		Max. Pressure at 400°F (psi):	30,000
2A-6012-00		Contact:	CUP-PIN
		Thread:	1/4-28 UNF-2A
		O-Ring Size:	2-006
		Max. Temperature at Max. Pressure (°F):	400°
		Max. Pressure at 400°F (psi):	30,000